

**QUADRATROHRE GESCHW.
SQUARE TUBES WELDED
TUBES CARRE SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI
		roh	geschl. K240	
10,00 x 10,00 x 1,00	0,264	◆	□	○
15,00 x 15,00 x 1,00	0,432	◆		□
15,00 x 15,00 x 1,25	0,530	□		○
15,00 x 15,00 x 1,50	0,624	◆	◆	□
16,00 x 16,00 x 1,00	0,464	○		○
16,00 x 16,00 x 1,25	0,570	○		○
16,00 x 16,00 x 1,50	0,672	□		□
20,00 x 20,00 x 1,00	0,592	□		○
20,00 x 20,00 x 1,25	0,730	□		○
20,00 x 20,00 x 1,50	0,864	◆	◆	◆
20,00 x 20,00 x 2,00	1,120	◆	◆	◆
22,00 x 22,00 x 1,25	0,820	○		○
22,00 x 22,00 x 2,00	1,480	○		○
25,00 x 25,00 x 1,00	0,752	□		○
25,00 x 25,00 x 1,25	0,930	□		○
25,00 x 25,00 x 1,50	1,104	◆	◆	◆
25,00 x 25,00 x 2,00	1,440	◆	◆	◆
25,00 x 25,00 x 2,50	1,740	○		○
30,00 x 30,00 x 1,00	0,912	○		○
30,00 x 30,00 x 1,25	1,130	□		○
30,00 x 30,00 x 1,50	1,344	◆	□	◆
30,00 x 30,00 x 2,00	1,760	◆	◆	◆
30,00 x 30,00 x 2,50	2,140	□		○
30,00 x 30,00 x 3,00	2,544	◆	□	◆
32,00 x 32,00 x 1,50	1,440	○		○
32,00 x 32,00 x 2,00	1,888	○		○
34,00 x 34,00 x 1,00	1,040	○		○
34,00 x 34,00 x 1,50	1,548	○		○
35,00 x 35,00 x 1,00	1,072	○		○
35,00 x 35,00 x 1,25	1,330	□		○
35,00 x 35,00 x 1,50	1,584	□	□	□
35,00 x 35,00 x 2,00	2,080	◆	◆	◆
35,00 x 35,00 x 2,50	2,540	□		○
35,00 x 35,00 x 3,00	3,024	□		□
37,00 x 37,00 x 1,50	3,024	○		○
40,00 x 40,00 x 1,00	1,232	○		○
40,00 x 40,00 x 1,25	1,530	□		○
40,00 x 40,00 x 1,50	1,824	◆	□	□
40,00 x 40,00 x 2,00	2,400	◆	◆	◆
40,00 x 40,00 x 2,50	2,940	□		○
40,00 x 40,00 x 3,00	3,504	◆	◆	◆
40,00 x 40,00 x 4,00	4,544	□	□	□
45,00 x 45,00 x 1,25	1,730	○		○
45,00 x 45,00 x 1,50	2,064	○		○

EDELSTAHL STAINLESS STEEL INOX

**QUADRATROHRE GESCHW.
 SQUARE TUBES WELDED
 TUBES CARRE SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI
		roh	geschl. K240	
45,00 x 45,00 x 2,00	2,720	◆	□	○
45,00 x 45,00 x 2,50	3,340	○		○
45,00 x 45,00 x 3,00	3,984	□		□
45,00 x 45,00 x 4,00	5,184	○		○
50,00 x 50,00 x 1,25	1,920	○		○
50,00 x 50,00 x 1,50	2,292	□	□	○
50,00 x 50,00 x 2,00	3,040	◆	◆	◆
50,00 x 50,00 x 2,50	3,740	□		□
50,00 x 50,00 x 3,00	4,464	◆	◆	◆
50,00 x 50,00 x 4,00	5,824	□	□	◆
50,00 x 50,00 x 5,00	6,800	□		□
55,00 x 55,00 x 2,00	3,360	□		○
60,00 x 60,00 x 1,50	2,772	□	□	○
60,00 x 60,00 x 2,00	3,680	◆	◆	◆
60,00 x 60,00 x 2,50	4,540	□		○
60,00 x 60,00 x 3,00	5,424	◆	◆	◆
60,00 x 60,00 x 4,00	7,104	□	□	◆
60,00 x 60,00 x 5,00	8,400	□		□
70,00 x 70,00 x 2,00	4,320	□	□	○
70,00 x 70,00 x 2,50	5,340	○		○
70,00 x 70,00 x 3,00	6,384	□		□
70,00 x 70,00 x 4,00	8,384	□		□
70,00 x 70,00 x 5,00	10,000	□		○
80,00 x 80,00 x 2,00	4,960	◆	◆	◆
80,00 x 80,00 x 2,50	6,140	□		○
80,00 x 80,00 x 3,00	7,344	◆	◆	◆
80,00 x 80,00 x 4,00	9,664	□	□	◆
80,00 x 80,00 x 5,00	11,600	□		□
80,00 x 80,00 x 6,00	13,920	□		□
90,00 x 90,00 x 3,00	8,304	□		○
90,00 x 90,00 x 4,00	10,944	○		○
100,00 x 100,00 x 2,00	6,240	◆	◆	◆
100,00 x 100,00 x 2,50	7,740	○		○
100,00 x 100,00 x 3,00	9,264	◆	◆	◆
100,00 x 100,00 x 4,00	12,224	□	□	◆
100,00 x 100,00 x 5,00	14,800	□		◆
100,00 x 100,00 x 6,00	17,760	□		□
120,00 x 120,00 x 2,00	7,520	○		○
120,00 x 120,00 x 3,00	11,184	□	□	○
120,00 x 120,00 x 4,00	14,784	□	□	□
120,00 x 120,00 x 5,00	18,000	□		□
120,00 x 120,00 x 6,00	21,600	□		□

EDELSTAHL STAINLESS STEEL INOX

**QUADRATROHRE GESCHW.
SQUARE TUBES WELDED
TUBES CARRE SOUDÉS**



Abmessung in mm	kg/m	roh	4301/304 geschl. K240	4571/316 TI
140,00 x 140,00 x 3,00	13,104	○		○

**QUADRATROHRE GESCHW.
 SQUARE TUBES WELDED
 TUBES CARRE SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI	
		roh	geschl. K240		
140,00 x 140,00 x 4,00	17,344	□		○	INOX
140,00 x 140,00 x 5,00	21,200	○		○	
150,00 x 150,00 x 3,00	14,064	□	□	○	STAINLESS STEEL
150,00 x 150,00 x 4,00	18,624	□		□	
150,00 x 150,00 x 5,00	22,800	□		□	
150,00 x 150,00 x 6,00	27,360	□		□	
200,00 x 200,00 x 3,00	18,864	○		○	EDELSTAHL
200,00 x 200,00 x 4,00	25,024	□		□	
200,00 x 200,00 x 5,00	30,800	□		○	
200,00 x 200,00 x 6,00	36,960	○		○	

◆ freibl. Vorrat; □ freibl. Werksvorrat ○ aus Neuanfertigung ■ = geschl. K240