

**RECHTECKROHRE GESCHW.
RECTANGULAR TUBES WELDED
TUBES RECTANGULAIRES SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI
		roh	geschl. K240	
20,00 x 10,00 x 1,00	0,432	□		○
20,00 x 10,00 x 1,25	0,530	□		○
20,00 x 10,00 x 1,50	6,240	◆	□	□
20,00 x 15,00 x 1,00	0,512	○		○
20,00 x 15,00 x 1,25	0,630	○		○
20,00 x 15,00 x 1,50	0,744	◆	□	□
23,00 x 10,00 x 1,00	0,480	○		○
25,00 x 10,00 x 1,00	0,512	○		○
25,00 x 10,00 x 1,25	0,630	○		○
25,00 x 10,00 x 1,50	0,744	□	□	□
25,00 x 15,00 x 1,00	0,592	□		○
25,00 x 15,00 x 1,25	0,730	○		○
25,00 x 15,00 x 1,50	0,864	◆	□	□
25,00 x 20,00 x 1,00	0,672	○		○
25,00 x 20,00 x 1,25	0,830	○		○
25,00 x 20,00 x 1,50	0,984	□		○
25,00 x 20,00 x 2,00	1,280	□		○
30,00 x 10,00 x 1,00	0,592	○		○
30,00 x 10,00 x 1,25	0,730	○		○
30,00 x 10,00 x 1,50	0,864	□	□	□
30,00 x 15,00 x 1,00	0,672	○		○
30,00 x 15,00 x 1,25	0,830	□		○
30,00 x 15,00 x 1,50	0,984	◆	□	□
30,00 x 20,00 x 1,00	0,752	□		○
30,00 x 20,00 x 1,25	0,930	□		○
30,00 x 20,00 x 1,50	1,104	□	□	□
30,00 x 20,00 x 2,00	1,440	◆	□	◆
30,00 x 25,00 x 1,50	1,224	□		○
30,00 x 25,00 x 2,00	1,600	○		○
35,00 x 15,00 x 1,50	1,104	○		○
35,00 x 20,00 x 1,50	1,224	□		○
35,00 x 20,00 x 2,00	1,600	□		○
35,00 x 29,00 x 1,50	1,428	○		○
40,00 x 15,00 x 1,50	1,224	□		○
40,00 x 20,00 x 1,00	0,912	○		○
40,00 x 20,00 x 1,25	1,130	□		○
40,00 x 20,00 x 1,50	1,344	◆	□	◆
40,00 x 20,00 x 2,00	1,760	◆	◆	◆
40,00 x 25,00 x 1,50	1,464	□		○
40,00 x 25,00 x 2,00	1,920	□		○
40,00 x 27,00 x 1,50	1,512	○		○
40,00 x 29,00 x 2,50	2,160	○		○
40,00 x 30,00 x 1,00	1,072	○		○
40,00 x 30,00 x 1,25	1,330	○		○
40,00 x 30,00 x 1,50	1,584	□	□	◆

EDELSTAHL STAINLESS STEEL INOX

**RECHTECKROHRE GESCHW.
RECTANGULAR TUBES WELDED
TUBES RECTANGULAIRES SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI
		roh	geschl. K240	
40,00 x 30,00 x 2,00	2,080	□	□	□
40,00 x 30,00 x 2,50	2,540	○		○
40,00 x 30,00 x 3,00	3,024	□		○
41,00 x 31,00 x 2,00	1,957	○		○
45,00 x 25,00 x 1,50	1,584	□		○
45,00 x 35,00 x 1,50	1,699	○		○
50,00 x 15,00 x 1,50	1,464	□		○
50,00 x 20,00 x 1,50	1,584	□	□	□
50,00 x 20,00 x 2,00	2,080	◆	□	□
50,00 x 25,00 x 1,25	1,430	○		○
50,00 x 25,00 x 1,50	1,716	□	□	◆
50,00 x 25,00 x 2,00	2,240	◆	□	◆
50,00 x 25,00 x 2,50	2,740	□		○
50,00 x 30,00 x 1,00	1,232	○		○
50,00 x 30,00 x 1,25	1,530	□		○
50,00 x 30,00 x 1,50	1,824	□	□	◆
50,00 x 30,00 x 2,00	2,400	◆	◆	◆
50,00 x 30,00 x 2,50	2,940	□		○
50,00 x 30,00 x 3,00	3,504	◆		□
50,00 x 40,00 x 1,50	2,052	□	□	○
50,00 x 40,00 x 2,00	2,720	◆	□	□
50,00 x 40,00 x 2,50	3,340	□		○
50,00 x 40,00 x 3,00	3,984	□		○
55,00 x 25,00 x 2,00	2,246	○		○
57,00 x 15,00 x 1,50	1,631	○		○
59,00 x 15,00 x 1,50	1,699	○		○
59,00 x 20,00 x 1,50	1,800	○		○
60,00 x 15,00 x 1,50	1,704	□		○
60,00 x 20,00 x 1,50	1,824	□	□	○
60,00 x 20,00 x 2,00	2,400	◆	◆	□
60,00 x 25,00 x 1,50	1,860	○		○
60,00 x 25,00 x 2,00	2,560	□		○
60,00 x 30,00 x 1,50	2,052	□		□
60,00 x 30,00 x 2,00	2,720	◆	◆	□
60,00 x 30,00 x 2,50	3,340	□		◆
60,00 x 30,00 x 3,00	3,984	□	□	◆
60,00 x 33,00 x 1,50	2,124	○		○
60,00 x 40,00 x 1,50	2,292	□		○
60,00 x 40,00 x 2,00	3,040	◆	◆	◆
60,00 x 40,00 x 2,50	3,740	□		○
60,00 x 40,00 x 3,00	4,464	◆	□	◆
60,00 x 40,00 x 4,00	5,824	□		◆
60,00 x 45,00 x 2,00	3,200	○		○

EDELSTAHL STAINLESS STEEL INOX

**RECHTECKROHRE GESCHW.
RECTANGULAR TUBES WELDED
TUBES RECTANGULAIRES SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI
		roh	geschl. K240	
70,00 x 20,00 x 1,25	1,730	○		○
70,00 x 20,00 x 1,50	2,064	○		○
70,00 x 30,00 x 1,00	1,552	□		○
70,00 x 40,00 x 2,00	3,360	□		○
70,00 x 40,00 x 2,50	4,140	○		○
70,00 x 40,00 x 3,00	4,944	□		○
70,00 x 40,00 x 4,00	6,464	□		○
70,00 x 50,00 x 2,00	3,680	○		○
70,00 x 50,00 x 4,00	7,104	○		○
80,00 x 20,00 x 1,50	2,292	○		○
80,00 x 20,00 x 2,00	3,040	□		□
80,00 x 30,00 x 1,50	2,532	□		○
80,00 x 30,00 x 2,00	3,360	□		○
80,00 x 30,00 x 3,00	4,944	○		○
80,00 x 40,00 x 1,50	2,772	○		○
80,00 x 40,00 x 2,00	3,680	◆	◆	◆
80,00 x 40,00 x 2,50	4,540	□		○
80,00 x 40,00 x 3,00	5,424	◆	□	◆
80,00 x 40,00 x 4,00	7,104	□		□
80,00 x 40,00 x 5,00	8,400	□		□
80,00 x 50,00 x 2,00	4,000	□		□
80,00 x 50,00 x 3,00	5,904	□		□
80,00 x 50,00 x 4,00	7,744	□		○
80,00 x 60,00 x 2,00	4,320	□	□	□
80,00 x 60,00 x 2,50	5,340	□		○
80,00 x 60,00 x 3,00	6,384	□	□	□
80,00 x 60,00 x 4,00	8,384	□		□
80,00 x 60,00 x 5,00	10,000	□		○
100,00 x 20,00 x 2,00	3,680	□		○
100,00 x 30,00 x 2,00	4,000	□		○
100,00 x 30,00 x 3,00	5,904	□		○
100,00 x 40,00 x 2,00	4,320	◆	□	□
100,00 x 40,00 x 2,50	5,340	□		○
100,00 x 40,00 x 3,00	6,384	□	□	□
100,00 x 40,00 x 4,00	8,364	□		□
100,00 x 50,00 x 2,00	4,640	◆	□	□
100,00 x 50,00 x 2,50	5,740	○		○
100,00 x 50,00 x 3,00	6,864	□	□	◆
100,00 x 50,00 x 4,00	9,024	□		□
100,00 x 50,00 x 5,00	10,800	□		○
100,00 x 60,00 x 2,00	4,960	□		□
100,00 x 60,00 x 2,50	6,140	○		○
100,00 x 60,00 x 3,00	7,344	□		□

EDELSTAHL INOX
STAINLESS STEEL

**RECHTECKROHRE GESCHW.
RECTANGULAR TUBES WELDED
TUBES RECTANGULAIRES SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI
		roh	geschl. K240	
100,00 x 60,00 x 4,00	9,664	□		□
100,00 x 60,00 x 5,00	11,600	□		□
100,00 x 80,00 x 2,00	5,600	□		○
100,00 x 80,00 x 3,00	8,304	□		○
100,00 x 80,00 x 4,00	10,944	□		○
100,00 x 80,00 x 5,00	13,200	□		○
120,00 x 40,00 x 2,00	4,960	□		○
120,00 x 40,00 x 3,00	7,344	□		○
120,00 x 40,00 x 4,00	9,664	□		□
120,00 x 60,00 x 2,00	5,600	□	□	□
120,00 x 60,00 x 3,00	8,304	□	□	□
120,00 x 60,00 x 4,00	10,944	□		□
120,00 x 60,00 x 5,00	13,200	□		□
120,00 x 80,00 x 2,00	6,240	□		○
120,00 x 80,00 x 3,00	9,264	□		□
120,00 x 80,00 x 4,00	12,224	□		□
120,00 x 80,00 x 5,00	14,800	□		□
120,00 x 80,00 x 6,00	17,760	○		○
140,00 x 60,00 x 3,00	9,264	□		○
140,00 x 60,00 x 4,00	12,224	○		○
140,00 x 80,00 x 3,00	10,224	□	□	□
140,00 x 80,00 x 4,00	13,508	□		□
140,00 x 80,00 x 5,00	16,400	□		□
150,00 x 50,00 x 2,00	6,240	□		□
150,00 x 50,00 x 3,00	9,264	□		□
150,00 x 50,00 x 4,00	12,224	□		○
150,00 x 100,00 x 3,00	11,664	□	□	○
150,00 x 100,00 x 4,00	15,424	□		○
150,00 x 100,00 x 5,00	18,800	□		□
150,00 x 100,00 x 6,00	22,560	□		□
160,00 x 80,00 x 3,00	11,184	□		□
160,00 x 80,00 x 4,00	14,784	□		□
160,00 x 80,00 x 5,00	18,000	□		□
160,00 x 80,00 x 6,00	21,600	□		□
200,00 x 50,00 x 3,00	11,664	□		○
200,00 x 80,00 x 3,00	13,104	□		○
200,00 x 100,00 x 3,00	14,064	○		○
200,00 x 100,00 x 4,00	18,624	□		□
200,00 x 100,00 x 5,00	22,800	□		□
200,00 x 100,00 x 6,00	27,360	□		□
200,00 x 150,00 x 5,00	26,800	○		○
250,00 x 100,00 x 4,00	21,824	□		○

EDELSTAHL STAINLESS STEEL INOX

**RECHTECKROHRE GESCHW.
RECTANGULAR TUBES WELDED
TUBES RECTANGULAIRES SOUDÉS**

Abmessung in mm	kg/m	4301/304		4571/316 TI	EDELSTAHL INOX
		roh	geschl. K240		
250,00 x 100,00 x 5,00	26,800	○		○	
250,00 x 150,00 x 4,00	25,024	○		○	
250,00 x 150,00 x 5,00	30,800	□		○	
250,00 x 150,00 x 6,00	36,960	○		○	
300,00 x 100,00 x 4,00	25,024	○		○	
300,00 x 100,00 x 5,00	30,800	○		○	
300,00 x 100,00 x 6,00	36,960	○		○	

◆ freibl. Vorrat

□ freibl. Werksvorrat

○ aus Neuanfertigung

■ = geschl. K240